ISEO ULTIMATE ACCESS TECHNOLOGIES

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

CE

EU DECLARATION OF CONFORMITY nr. 44

ENG
United Kingdom

1. Manufacturer

ISEO Serrature S.p.A.
Via S. Girolamo, 13 - IT 25055 - Pisogne (BS)


2. Product Identification

Mechatronic handle

3. Identification codes

Series	**Aries connected system**
Models	**Aries 2.0, Aries 2.1** Standard **Aries 2.0, Aries 2.1** For panic devices **Aries 2.0, Aries 2.1** For custom handles **Aries 2.0, Aries 2.1** For custom handles for panic devices **Aries 2.0, Aries 2.1** For DIN lock **Aries 2.0, Aries 2.1** For fire locks **Aries 2.0, Aries 2.1** For Premi Apri lock **Locker 2.0 art. 1EL10152** **Locker 2.1 art. 1EL10162, 1ES10162** Electronic lock for cabinets
Series	**Aries Smart**
Models	**Aries Smart 2.0, Aries Smart 2.1** Standard **Aries Smart 2.0, Aries Smart 2.1** For panic devices **Aries Smart 2.0, Aries Smart 2.1** For custom handles **Aries Smart 2.0, Aries Smart 2.1** For custom handles for panic devices **Aries Smart 2.0, Aries Smart 2.1** For DIN lock **Aries Smart 2.0, Aries Smart 2.1** For fire locks **Aries Smart 2.0, Aries Smart 2.1** For Premi Apri lock **Locker Smart 2.0 art. 1EL10155** **Locker Smart 2.1 art. 1EL10165, 1ES10165** Electronic lock for cabinets

Product codes



Accessories

Art. 58200000E0360	Lithium battery Size AA, 3,6Vcc.	for Aries 2.0, Locker 2.0 and Aries Smart 2.0, Locker Smart 2.0
Art. KE01950	Alkaline battery Size AA, 1,5V.	for Aries 2.1, Locker 2.1 and Aries Smart 2.1, Locker Smart 2.1
Art. 5E405309.3	DESFire EV2 master card with ISEO logo	
Art. 5E405301	DESFire EV2 user card with ISEO logo and UID	
Art. 5E402001.A	MIFARE user card with ISEO logo and UID	
Art. 5E402011	MIFARE user card blank on both sides	

4. Applicable directives

2014/53/EU (RED) - Radio equipment
2011/65/UE (RoHS) - Restriction of the use of certain hazardous Substances in EEE

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

5. Reference standards

RED		
Health and Safety	**2014/53/UE – Art. 3(1)(a)**	**EN 62368-1:2020 + A11:2020** **EN 50364:2010** **EN IEC 62311:2020**
EMC	**2014/53/UE – Art. 3(1)(b)**	**ETSI EN 301 489-1 V2.2.3:2021** **ETSI EN 301 489-3 V2.3.2:2023** **ETSI EN 301 489-17 V3.3.1:2024** **EN 55032:2015 + A11:2020** **EN 55035:2017 + A11:2020**
Spectrum use	**2014/53/UE – Art. 3(2)**	**ETSI EN 300 330 V2.1.1:2017** **ETSI EN 300 328 V2.2.2:2019**
Cybersecurity	**2014/53/UE – Art. 3(3)**	**EN18031-1:2024**
Other	**2014/53/UE – Art. 3(3)**	**//**
IP Code		**EN 60529**
ARIES		**IP5X** – Dust tight / 8 hours **IPX5** – Water jet 12,5 l/min. at 30 kPa distance 3 m.

6. Further information

Document	Scope	Number	Issuing date	Issued by
Technical file	CE	FT ARIES rev.5	2026-04-29	ISEO SERRATURE S.p.A.
Test report	RED	0655_10_21_SAFTR-0	2021-04-12	RADIOMOTIVE S.r.l
Test report	RED	0655_11_20_EMC-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655_12_20_RADIOTR-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655-20-20-SAFTR-0	2021-09-03	RADIOMOTIVE S.r.l
Test report	RED	0655-21-20-EMCTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-22-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-23-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24a-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24b-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0702-3-23-SAFTR-0	2024-07-20	RADIOMOTIVE S.r.l
Test report	RED	0702-4-23-EMCTR-0	2024-02-19	RADIOMOTIVE S.r.l
Test report	RED	0702-5-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-6-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-7-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-8-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	EMCTR_187643-0	2026-04-28	PRS LAB
Test report	RED	EN18031 Conceptual test - (Smart)	2025-09-11	Security Pattern S.r.l.
Test report	RED	EN18031 Conceptual test - (System)	2025-10-14	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (Smart)	2025-10-17	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (System)	2025-10-17	Security Pattern S.r.l.
Test report	RoHS	CH151123040	2015-12-22	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-10	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-02	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.21.10.11-08	2021-11-18	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.24.03.06.05-01	2024-04-02	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.25.02.13.02-01	2025-03-20	APAVE ITALIA CPM S.r.l.
Test report	IP55	381-QL13-R01	2024-05-27	QUALILAB S.r.l.
Test report	IP55	942-QL21-R01	2021-10-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.

7. Special prescriptions

See user manuals supplied with the product and also available at www.iseo.com
SCIP Declaration available on https://www.iseo.com/en/Support/Download

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

DICHIARAZIONE UE DI CONFORMITÀ nr. 44

IT
Italia

1. Fabbricante

ISEO Serrature S.p.A.
Via S. Girolamo, 13 - IT 25055 - Pisogne (BS)


2. Identificazione del prodotto

Maniglia meccatronica

3. Codici di identificazione del prodotto

Serie	**Aries connected system**
Modelli	**Aries 2.0, Aries 2.1** Standard **Aries 2.0, Aries 2.1** For panic devices **Aries 2.0, Aries 2.1** For custom handles **Aries 2.0, Aries 2.1** For custom handles for panic devices **Aries 2.0, Aries 2.1** For DIN lock **Aries 2.0, Aries 2.1** For fire locks **Aries 2.0, Aries 2.1** For Premi Apri lock **Locker 2.0 art. 1EL10152** **Locker 2.1 art. 1EL10162, 1ES10162** Electronic lock for cabinets
Serie	**Aries Smart**
Modelli	**Aries Smart 2.0, Aries Smart 2.1** Standard **Aries Smart 2.0, Aries Smart 2.1** For panic devices **Aries Smart 2.0, Aries Smart 2.1** For custom handles **Aries Smart 2.0, Aries Smart 2.1** For custom handles for panic devices **Aries Smart 2.0, Aries Smart 2.1** For DIN lock **Aries Smart 2.0, Aries Smart 2.1** For fire locks **Aries Smart 2.0, Aries Smart 2.1** For Premi Apri lock **Locker Smart 2.0 art. 1EL10155** **Locker Smart 2.1 art. 1EL10165, 1ES10165** Electronic lock for cabinets

Codici di prodotto



Accessori

Art. 58200000E0360	Lithium battery Size AA, 3,6Vcc.	Aries 2.0, Locker 2.0 | Aries Smart 2.0, Locker Smart 2.0
Art. KE01950	Alkaline battery Size AA, 1,5V.	Aries 2.1, Locker 2.1 | Aries Smart 2.1, Locker Smart 2.1
Art. 5E405309.3	DESFire EV2 master card con ISEO logo	
Art. 5E405301	DESFire EV2 user card con ISEO logo ed UID	
Art. 5E402001.A	MIFARE user card con ISEO logo ed UID	
Art. 5E402011	MIFARE user card neutra	

4. Direttive applicabili

2014/53/EU (RED) - Apparecchiature radio
2011/65/UE (RoHS) - Restrizione dell'uso determinate sostanze pericolose nelle AEE

5. Norme di riferimento

RED		
Salute e sicurezza	**2014/53/UE – Art. 3(1)(a)**	**EN 62368-1:2020 + A11:2020** **EN 50364:2010** **EN IEC 62311:2020**
EMC	**2014/53/UE – Art. 3(1)(b)**	**ETSI EN 301 489-1 V2.2.3:2021** **ETSI EN 301 489-3 V2.3.2:2023** **ETSI EN 301 489-17 V3.3.1:2024** **EN 55032:2015 + A11:2020** **EN 55035:2017 + A11:2020**
Uso dello spettro	**2014/53/UE – Art. 3(2)**	**ETSI EN 300 330 V2.1.1:2017** **ETSI EN 300 328 V2.2.2:2019**
Cybersecurity	**2014/53/UE – Art. 3(3)**	**EN18031-1:2024**
Altro	**2014/53/UE – Art. 3(3)**	**//**
IP Code		**EN 60529**
ARIES		**IP5X** - A tenuta di polvere fine / 8h. **IPX5** - Getto d'acqua 12,5 l/min. a 30 kPa distanza 3 m.

6. Informazioni aggiuntive

Documento	Scopo	Numero	Data emissione	Emesso da
Technical file	CE	FT ARIES rev.5	2026-04-29	ISEO SERRATURE S.p.A.
Test report	RED	0655_10_21_SAFTR-0	2021-04-12	RADIOMOTIVE S.r.l
Test report	RED	0655_11_20_EMC-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655_12_20_RADIOTR-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655-20-20-SAFTR-0	2021-09-03	RADIOMOTIVE S.r.l
Test report	RED	0655-21-20-EMCTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-22-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-23-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24a-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24b-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0702-3-23-SAFTR-0	2024-07-20	RADIOMOTIVE S.r.l
Test report	RED	0702-4-23-EMCTR-0	2024-02-19	RADIOMOTIVE S.r.l
Test report	RED	0702-5-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-6-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-7-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-8-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	EMCTR_187643-0	2026-04-28	PRS LAB
Test report	RED	EN18031 Conceptual test - (Smart)	2025-09-11	Security Pattern S.r.l.
Test report	RED	EN18031 Conceptual test - (System)	2025-10-14	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (Smart)	2025-10-17	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (System)	2025-10-17	Security Pattern S.r.l.
Test report	RoHS	CH151123040	2015-12-22	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-10	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-02	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.21.10.11-08	2021-11-18	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.24.03.06.05-01	2024-04-02	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.25.02.13.02-01	2025-03-20	APAVE ITALIA CPM S.r.l.
Test report	IP55	381-QL13-R01	2024-05-27	QUALILAB S.r.l.
Test report	IP55	942-QL21-R01	2021-10-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2024-05-27	QUALILAB S.r.l.

7. Prescrizioni particolari

Vedere manuali di istruzioni fornito con il prodotto e disponibili anche su www.iseo.com
Dichiarazione SCIP disponibile su https://www.iseo.com/en/Support/Download

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

DECLARACIÓN UE DE CONFORMIDAD nr. 44

ES
España

1. Fabricante

ISEO Serrature S.p.A.
Via S. Girolamo, 13 - IT 25055 - Pisogne (BS)


2. Identificación del producto

Manilla mecatrónica

3. Código de identificación único del producto-tipo

Series	**Aries connected system**
Modelos	**Aries 2.0, Aries 2.1** Standard **Aries 2.0, Aries 2.1** For panic devices **Aries 2.0, Aries 2.1** For custom handles **Aries 2.0, Aries 2.1** For custom handles for panic devices **Aries 2.0, Aries 2.1** For DIN lock **Aries 2.0, Aries 2.1** For fire locks **Aries 2.0, Aries 2.1** For Premi Apri lock **Locker 2.0 art. 1EL10152** **Locker 2.1 art. 1EL10162, 1ES10162** Electronic lock for cabinets
Series	**Aries Smart**
Modelos	**Aries Smart 2.0, Aries Smart 2.1** Standard **Aries Smart 2.0, Aries Smart 2.1** For panic devices **Aries Smart 2.0, Aries Smart 2.1** For custom handles **Aries Smart 2.0, Aries Smart 2.1** For custom handles for panic devices **Aries Smart 2.0, Aries Smart 2.1** For DIN lock **Aries Smart 2.0, Aries Smart 2.1** For fire locks **Aries Smart 2.0, Aries Smart 2.1** For Premi Apri lock **Locker Smart 2.0 art. 1EL10155** **Locker Smart 2.1 art. 1EL10165, 1ES10165** Electronic lock for cabinets

Códigos de producto



Accesorios

Art. 58200000E0360	Lithium battery Size AA, 3,6Vcc.	Aries 2.0, Locker 2.0 | Aries Smart 2.0, Locker Smart 2.0
Art. KE01950	Alkaline battery Size AA, 1,5V.	Aries 2.1, Locker 2.1 | Aries Smart 2.1, Locker Smart 2.1
Art. 5E405309.3	DESFire EV2 master card con ISEO logotipo	
Art. 5E405301	DESFire EV2 user card con ISEO logotipo and UID	
Art. 5E402001.A	MIFARE user card con ISEO logotipo and UID	
Art. 5E402011	MIFARE user card neutra	

4. Directivas aplicables

2014/53/EU (RED) - Equipos radioeléctricos.
2011/65/UE (RoHS) - Restricciones a la utilización de determinadas sustancias peligrosas en AEE

5. Estándares de referencia

RED Directive		
Salud y seguridad	**2014/53/UE – Art. 3(1)(a)**	**EN 62368-1:2020 + A11:2020** **EN 50364:2010** **EN IEC 62311:2020**
EMC	**2014/53/UE – Art. 3(1)(b)**	**ETSI EN 301 489-1 V2.2.3:2021** **ETSI EN 301 489-3 V2.3.2:2023** **ETSI EN 301 489-17 V3.3.1:2024** **EN 55032:2015 + A11:2020** **EN 55035:2017 + A11:2020**
Uso del espectro	**2014/53/UE – Art. 3(2)**	**ETSI EN 300 330 V2.1.1:2017** **ETSI EN 300 328 V2.2.2:2019**
Cybersecurity	**2014/53/UE – Art. 3(3)**	**EN18031-1:2024**
Otro	**2014/53/UE – Art. 3(3)**	**//**
IP Código		**EN 60529**
ARIES		**IP5X** - Estanco al polvo / 8 horas **IPX5** - Chorro de agua 12,5 l/min. a 30 kPa distancia 3 m

6. Otro información

Documento	Alcance	Nombre	data	Expedido por
Technical file	CE	FT ARIES rev.5	2026-04-29	ISEO SERRATURE S.p.A.
Test report	RED	0655_10_21_SAFTR-0	2021-04-12	RADIOMOTIVE S.r.l
Test report	RED	0655_11_20_EMC-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655_12_20_RADIOTR-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655-20-20-SAFTR-0	2021-09-03	RADIOMOTIVE S.r.l
Test report	RED	0655-21-20-EMCTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-22-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-23-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24a-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24b-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0702-3-23-SAFTR-0	2024-07-20	RADIOMOTIVE S.r.l
Test report	RED	0702-4-23-EMCTR-0	2024-02-19	RADIOMOTIVE S.r.l
Test report	RED	0702-5-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-6-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-7-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-8-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	EMCTR_187643-0	2026-04-28	PRS LAB
Test report	RED	EN18031 Conceptual test - (Smart)	2025-09-11	Security Pattern S.r.l.
Test report	RED	EN18031 Conceptual test - (System)	2025-10-14	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (Smart)	2025-10-17	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (System)	2025-10-17	Security Pattern S.r.l.
Test report	RoHS	CH151123040	2015-12-22	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-10	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-02	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.21.10.11-08	2021-11-18	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.24.03.06.05-01	2024-04-02	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.25.02.13.02-01	2025-03-20	APAVE ITALIA CPM S.r.l.
Test report	IP55	381-QL13-R01	2024-05-27	QUALILAB S.r.l.
Test report	IP55	942-QL21-R01	2021-10-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2024-05-27	QUALILAB S.r.l.

7. Requisitos especiales

Ver los manuales de usuario suministrados con el producto y disponibles en www.iseo.com
Declaración SCIP disponible en https://www.iseo.com/en/Support/Download

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

DÉCLARATION UE DE CONFORMITÉ nr. 44

FR
France

1. Fabricant

ISEO Serrature S.p.A.
Via S. Girolamo, 13 - IT 25055 - Pisogne (BS)


2. Identification du produit

Béquille mécatronique

3. Code d'identification unique du produit type

Série	**Aries connected system**
Modèles	**Aries 2.0, Aries 2.1** Standard **Aries 2.0, Aries 2.1** For panic devices **Aries 2.0, Aries 2.1** For custom handles **Aries 2.0, Aries 2.1** For custom handles for panic devices **Aries 2.0, Aries 2.1** For DIN lock **Aries 2.0, Aries 2.1** For fire locks **Aries 2.0, Aries 2.1** For Premi Apri lock **Locker 2.0 art. 1EL10152** **Locker 2.1 art. 1EL10162, 1ES10162** Electronic lock for cabinets
Série	**Aries Smart**
Modèles	**Aries Smart 2.0, Aries Smart 2.1** Standard **Aries Smart 2.0, Aries Smart 2.1** For panic devices **Aries Smart 2.0, Aries Smart 2.1** For custom handles **Aries Smart 2.0, Aries Smart 2.1** For custom handles for panic devices **Aries Smart 2.0, Aries Smart 2.1** For DIN lock **Aries Smart 2.0, Aries Smart 2.1** For fire locks **Aries Smart 2.0, Aries Smart 2.1** For Premi Apri lock **Locker Smart 2.0 art. 1EL10155** **Locker Smart 2.1 art. 1EL10165, 1ES10165** Electronic lock for cabinets

Codes de produits



Accessories

Art. 58200000E0360	Lithium battery Size AA, 3,6Vcc.	Aries 2.0, Locker 2.0 | Aries Smart 2.0, Locker Smart 2.0
Art. KE01950	Alkaline battery Size AA, 1,5V.	Aries 2.1, Locker 2.1 | Aries Smart 2.1, Locker Smart 2.1
Art. 5E405309.3	DESFire EV2 master card avec logo ISEO	
Art. 5E405301	DESFire EV2 user card avec logo ISEO et UID	
Art. 5E402001.A	MIFARE user card con avec logo ISEO et UID	
Art. 5E402011	MIFARE user card neutral	

4. Directives applicables

2014/53/EU (RED) - Équipements radioélectriques
2011/65/UE (RoHS) - Limitation de l'utilisation de certaines substances dangereuses en EEE

5. Normes de référence

RED Directive		
Santé et sécurité	**2014/53/UE – Art. 3(1)(a)**	**EN 62368-1:2020 + A11:2020** **EN 50364:2010** **EN IEC 62311:2020**
EMC	**2014/53/UE – Art. 3(1)(b)**	**ETSI EN 301 489-1 V2.2.3:2021** **ETSI EN 301 489-3 V2.3.2:2023** **ETSI EN 301 489-17 V3.3.1:2024** **EN 55032:2015 + A11:2020** **EN 55035:2017 + A11:2020**
Utilisation du spectre	**2014/53/UE – Art. 3(2)**	**ETSI EN 300 330 V2.1.1:2017** **ETSI EN 300 328 V2.2.2:2019**
Cybersecurity	**2014/53/UE – Art. 3(3)**	**EN18031-1:2024**
Autre	**2014/53/UE – Art. 3(3)**	**//**
IP Code		**EN 60529**
ARIES		**IP5X** - Étanchéité à la poussière / 8 h. **IPX5** - Jet d'eau 12,5 l/min. à 30 kPa distance 3 m.

6. Informations complémentaires

Document	Portée	Numéro	Date d'émission	Délivré par
Technical file	CE	FT ARIES rev.5	2026-04-29	ISEO SERRATURE S.p.A.
Test report	RED	0655_10_21_SAFTR-0	2021-04-12	RADIOMOTIVE S.r.l
Test report	RED	0655_11_20_EMC-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655_12_20_RADIOTR-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655-20-20-SAFTR-0	2021-09-03	RADIOMOTIVE S.r.l
Test report	RED	0655-21-20-EMCTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-22-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-23-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24a-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24b-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0702-3-23-SAFTR-0	2024-07-20	RADIOMOTIVE S.r.l
Test report	RED	0702-4-23-EMCTR-0	2024-02-19	RADIOMOTIVE S.r.l
Test report	RED	0702-5-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-6-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-7-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-8-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	EMCTR_187643-0	2026-04-28	PRS LAB
Test report	RED	EN18031 Conceptual test - (Smart)	2025-09-11	Security Pattern S.r.l.
Test report	RED	EN18031 Conceptual test - (System)	2025-10-14	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (Smart)	2025-10-17	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (System)	2025-10-17	Security Pattern S.r.l.
Test report	RoHS	CH151123040	2015-12-22	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-10	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-02	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.21.10.11-08	2021-11-18	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.24.03.06.05-01	2024-04-02	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.25.02.13.02-01	2025-03-20	APAVE ITALIA CPM S.r.l.
Test report	IP55	381-QL13-R01	2024-05-27	QUALILAB S.r.l.
Test report	IP55	942-QL21-R01	2021-10-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2024-05-27	QUALILAB S.r.l.

7. Prescriptions spéciales

Voir les manuels d'utilisation fournis avec le produit et disponibles à www.iseo.com
La déclaration du SCIP est disponible sur https://www.iseo.com/en/Support/Download

ISEO ULTIMATE ACCESS TECHNOLOGIES

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

CE

KONFORMITÄTSERKLÄRUNG nr. 44

DE
Deutschland

1. Hersteller

ISEO Serrature S.p.A.
Via S. Girolamo, 13 - IT 25055 - Pisogne (BS)


2. Eindeutiger Identifikation Kode des Produktes

Mechatronische drücker

3. Typennummer, die eine Identifizierung des Produktes

Série	**Aries connected system**
Modell	**Aries 2.0, Aries 2.1** Standard **Aries 2.0, Aries 2.1** For panic devices **Aries 2.0, Aries 2.1** For custom handles **Aries 2.0, Aries 2.1** For custom handles for panic devices **Aries 2.0, Aries 2.1** For DIN lock **Aries 2.0, Aries 2.1** For fire locks **Aries 2.0, Aries 2.1** For Premi Apri lock **Locker 2.0 art. 1EL10152** **Locker 2.1 art. 1EL10162, 1ES10162** Electronic lock for cabinets
Série	**Aries Smart**
Modell	**Aries Smart 2.0, Aries Smart 2.1** Standard **Aries Smart 2.0, Aries Smart 2.1** For panic devices **Aries Smart 2.0, Aries Smart 2.1** For custom handles **Aries Smart 2.0, Aries Smart 2.1** For custom handles for panic devices **Aries Smart 2.0, Aries Smart 2.1** For DIN lock **Aries Smart 2.0, Aries Smart 2.1** For fire locks **Aries Smart 2.0, Aries Smart 2.1** For Premi Apri lock **Locker Smart 2.0 art. 1EL10155** **Locker Smart 2.1 art. 1EL10165, 1ES10165** Electronic lock for cabinets

Produktcodes



Accessories

Art. 58200000E0360	Lithium battery Size AA, 3,6Vcc.	Aries 2.0, Locker 2.0 | Aries Smart 2.0, Locker Smart 2.0
Art. KE01950	Alkaline battery Size AA, 1,5V.	Aries 2.1, Locker 2.1 | Aries Smart 2.1, Locker Smart 2.1
Art. 5E405309.3	DESFire EV2 Masterkarte mit ISEO-Logo	
Art. 5E405301	DESFire EV2 Benutzerkarte mit ISEO-Logo und UID	
Art. 5E402001.A	MIFARE Benutzerkarte mit ISEO-Logo und UID	
Art. 5E402011	MIFARE Benutzerkarte beidseitig blanko	

4. Geltenden Richtlinien

2014/53/EU (RED) - Radioelektrische Geräte
2011/65/UE (RoHS) - Beschränkung der Verwendung bestimmter gefährlicher Stoffe in EEE

5. Referenzstandards

RED-Richtlinie		
Gesundheit und Sicherheit	**2014/53/UE – Art. 3(1)(a)**	**EN 62368-1:2020 + A11:2020** **EN 50364:2010** **EN IEC 62311:2020**
EMC	**2014/53/UE – Art. 3(1)(b)**	**ETSI EN 301 489-1 V2.2.3:2021** **ETSI EN 301 489-3 V2.3.2:2023** **ETSI EN 301 489-17 V3.3.1:2024** **EN 55032:2015 + A11:2020** **EN 55035:2017 + A11:2020**
Spektrum	**2014/53/UE – Art. 3(2)**	**ETSI EN 300 330 V2.1.1:2017** **ETSI EN 300 328 V2.2.2:2019**
Cybersecurity	**2014/53/UE – Art. 3(3)**	**EN18031-1:2024**
Andere	**2014/53/UE – Art. 3(3)**	**//**
IP Code		**EN 60529**
ARIES		**IP5X** - staubdicht bei / 8 Stunden **IPX5** - Wasserstrahl 12,5 l/min. bei 30 kPa Entfernung 3 m.

6. Ergänzende Informationen

Dokumentieren	Umfang	Nummer	Datum	Lieferung par
Technical file	CE	FT ARIES rev.5	2026-04-29	ISEO SERRATURE S.p.A.
Test report	RED	0655_10_21_SAFTR-0	2021-04-12	RADIOMOTIVE S.r.l
Test report	RED	0655_11_20_EMC-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655_12_20_RADIOTR-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655-20-20-SAFTR-0	2021-09-03	RADIOMOTIVE S.r.l
Test report	RED	0655-21-20-EMCTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-22-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-23-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24a-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24b-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0702-3-23-SAFTR-0	2024-07-20	RADIOMOTIVE S.r.l
Test report	RED	0702-4-23-EMCTR-0	2024-02-19	RADIOMOTIVE S.r.l
Test report	RED	0702-5-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-6-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-7-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-8-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	EMCTR_187643-0	2026-04-28	PRS LAB
Test report	RED	EN18031 Conceptual test - (Smart)	2025-09-11	Security Pattern S.r.l.
Test report	RED	EN18031 Conceptual test - (System)	2025-10-14	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (Smart)	2025-10-17	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (System)	2025-10-17	Security Pattern S.r.l.
Test report	RoHS	CH151123040	2015-12-22	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-10	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-02	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.21.10.11-08	2021-11-18	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.24.03.06.05-01	2024-04-02	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.25.02.13.02-01	2025-03-20	APAVE ITALIA CPM S.r.l.
Test report	IP55	381-QL13-R01	2024-05-27	QUALILAB S.r.l.
Test report	IP55	942-QL21-R01	2021-10-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2024-05-27	QUALILAB S.r.l.

7. Besondere Anforderungen

Siehe Benutzerhandbücher, die mit dem Produkt geliefert wurden und auch unter www.iseo.com verfügbar sind.
SCIP-Erklärung verfügbar unter https://www.iseo.com/en/Support/Download

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

DEKLARACJA ZGODNOŚCI UE nr. 44

PL
Poland

1. Producent

ISEO Serrature S.p.A.
Via S. Girolamo, 13 - IT 25055 - Pisogne (BS)


2. Identyfikacja produktu

Popychacze mechatroniczne

3. Kody identyfikacyjne

Série	**Aries connected system**
Modell	**Aries 2.0, Aries 2.1** Standard **Aries 2.0, Aries 2.1** For panic devices **Aries 2.0, Aries 2.1** For custom handles **Aries 2.0, Aries 2.1** For custom handles for panic devices **Aries 2.0, Aries 2.1** For DIN lock **Aries 2.0, Aries 2.1** For fire locks **Aries 2.0, Aries 2.1** For Premi Apri lock **Locker 2.0 art. 1EL10152** **Locker 2.1 art. 1EL10162, 1ES10162** Electronic lock for cabinets
Série	**Aries Smart**
Modell	**Aries Smart 2.0, Aries Smart 2.1** Standard **Aries Smart 2.0, Aries Smart 2.1** For panic devices **Aries Smart 2.0, Aries Smart 2.1** For custom handles **Aries Smart 2.0, Aries Smart 2.1** For custom handles for panic devices **Aries Smart 2.0, Aries Smart 2.1** For DIN lock **Aries Smart 2.0, Aries Smart 2.1** For fire locks **Aries Smart 2.0, Aries Smart 2.1** For Premi Apri lock **Locker Smart 2.0 art. 1EL10155** **Locker Smart 2.1 art. 1EL10165, 1ES10165** Electronic lock for cabinets

Produktcodes



Accessories

Art. 58200000E0360	Lithium battery Size AA, 3,6Vcc.	Aries 2.0, Locker 2.0 | Aries Smart 2.0, Locker Smart 2.0
Art. KE01950	Alkaline battery Size AA, 1,5V.	Aries 2.1, Locker 2.1 | Aries Smart 2.1, Locker Smart 2.1
Art. 5E405309.3	DESFire EV2 Masterkarte mit ISEO-Logo	
Art. 5E405301	DESFire EV2 Benutzerkarte mit ISEO-Logo und UID	
Art. 5E402001.A	MIFARE Benutzerkarte mit ISEO-Logo und UID	
Art. 5E402011	MIFARE Benutzerkarte beidseitig blanko	

4. Obowiązujące dyrektywy

2014/53/EU (EMC) - Sprzęt radiowy
2011/65/UE (RoHS) - Ograniczenie stosowania niektórych niebezpiecznych substancji w EEE

5. Referenzstandards

RED		
Zdrowie i bezpieczeństwo	**2014/53/UE – Art. 3(1)(a)**	**EN 62368-1:2020 + A11:2020** **EN 50364:2010** **EN IEC 62311:2020**
EMC	**2014/53/UE – Art. 3(1)(b)**	**ETSI EN 301 489-1 V2.2.3:2021** **ETSI EN 301 489-3 V2.3.2:2023** **ETSI EN 301 489-17 V3.3.1:2024** **EN 55032:2015 + A11:2020** **EN 55035:2017 + A11:2020**
Wykorzystanie widma	**2014/53/UE – Art. 3(2)**	**ETSI EN 300 330 V2.1.1:2017** **ETSI EN 300 328 V2.2.2:2019**
Inne	**2014/53/UE – Art. 3(3)**	**EN18031-1:2024**
IP Code		**EN 60529**
ARIES		**IP5X** - Pyłoszczelność / 8 godzin **IPX5** – Strumień wody 12,5 l/min. przy 30 kPa odległość 3 m.

6. Więcej informacji

Dokument	Zakres	Liczba	Data wydania	Wydane przez
Technical file	CE	FT ARIES rev.5	2026-04-29	ISEO SERRATURE S.p.A.
Test report	RED	0655_10_21_SAFTR-0	2021-04-12	RADIOMOTIVE S.r.l
Test report	RED	0655_11_20_EMC-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655_12_20_RADIOTR-0	2021-04-01	RADIOMOTIVE S.r.l
Test report	RED	0655-20-20-SAFTR-0	2021-09-03	RADIOMOTIVE S.r.l
Test report	RED	0655-21-20-EMCTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-22-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-23-20-RADIOTR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24a-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0655-24b-20-MPETR-0	2021-11-17	RADIOMOTIVE S.r.l
Test report	RED	0702-3-23-SAFTR-0	2024-07-20	RADIOMOTIVE S.r.l
Test report	RED	0702-4-23-EMCTR-0	2024-02-19	RADIOMOTIVE S.r.l
Test report	RED	0702-5-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-6-23-RADIOTR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-7-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	0702-8-23-MPETR-0	2024-05-13	RADIOMOTIVE S.r.l
Test report	RED	EMCTR_187643-0	2026-04-28	PRS LAB
Test report	RED	EN18031 Conceptual test - (Smart)	2025-09-11	Security Pattern S.r.l.
Test report	RED	EN18031 Conceptual test - (System)	2025-10-14	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (Smart)	2025-10-17	Security Pattern S.r.l.
Test report	RED	EN18031 Functional test - (System)	2025-10-17	Security Pattern S.r.l.
Test report	RoHS	CH151123040	2015-12-22	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-10	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.17.09.04.02-02	2017-09-13	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.21.10.11-08	2021-11-18	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.24.03.06.05-01	2024-04-02	APAVE ITALIA CPM S.r.l.
Test report	RoHS	CH.25.02.13.02-01	2025-03-20	APAVE ITALIA CPM S.r.l.
Test report	IP55	381-QL13-R01	2024-05-27	QUALILAB S.r.l.
Test report	IP55	942-QL21-R01	2021-10-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2013-06-05	QUALILAB S.r.l.
Test report	IP55	644-QL24-R01	2024-05-27	QUALILAB S.r.l.

7. Recepty specjalne

Patrz instrukcje obsługi dołączone do produktu, a także dostępne na stronie internetowej www.iseo.com .
Deklaracja SCIP dostępna na stronie https://www.iseo.com/en/Support/Download

Iseo Serrature s.p.a.
via San Girolamo, 13
25055 Pisogne BS, Italy
iseo.com

Tel. +39 0364 8821
Fax +39 0364 882263
iseo@iseo.com

C.F./P. IVA/n. Reg. Imp. di BS IT 08499190018
Cap. Soc. Del. € 24.429.800,00 int. versato
CCIAA Brescia n. REA 447181

IT AEOF 19 1577

UK United Kingdom	The items described in 3) are in compliance with • **RED - DIRECTIVE 2014/53/EU** of the European Parliament and of the Council of 16 April 2014 on the harmonization of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC • **RoHS - DIRECTIVE 2011/65/EU** of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
IT Italia	Gli articoli di cui al punto 3) sono conformi a • **RED - DIRETTIVA 2014/53/UE** del Parlamento Europeo e del Consiglio del 16 aprile 2014 concernente l'armonizzazione delle legislazioni degli Stati membri relative alla messa a disposizione sul mercato di apparecchiature radio e che abroga la direttiva 1999/5/CE • **RoHS - DIRETTIVA 2011/65/UE** del Parlamento Europeo e del Consiglio dell'8 giugno 2011 sulla restrizione dell'uso di determinate sostanze pericolose nelle apparecchiature elettriche ed elettroniche
ES España	Los elementos descritos en 3) se ajustan a lo previsto por • **RED - DIRECTIVA 2014/53/UE** del Parlamento Europeo y del Consejo de 16 de abril de 2014 relativa a la armonización de las legislaciones de los Estados miembros sobre la comercialización de equipos radioeléctricos, y por la que se deroga la Directiva 1999/5/CE • **RoHS - DIRECTIVA 2011/65/UE** del Parlamento Europeo y del Consejo de 8 de junio de 2011 sobre restricciones a la utilización de determinadas sustancias peligrosas en aparatos eléctricos y electrónicos
FR France	Les éléments décrits dans 3) sont conformes à • **RED - DIRECTIVE 2014/53/UE** du Parlement Européen et du Conseil du 16 avril 2014 relative à l'harmonisation des législations des États membres concernant la mise à disposition sur le marché d'équipements radioélectriques et abrogeant la directive 1999/5/CE • **RoHS - DIRECTIVE 2011/65/UE** du Parlement Européen et du Conseil du 8 juin 2011 relative à la limitation de l'utilisation de certaines substances dangereuses dans les équipements électriques et électroniques
DE Deutschland	Die Leistung des Produktes unter den Nummern 3) Sie entsprechenden • **RED - RICHTLINIE 2014/53/EU** des Europäischen Parlaments und des Rates vom 16 April 2014 über die Harmonisierung der Rechtsvorschriften der Mitgliedstaaten über die Bereitstellung von Funkanlagen auf dem Markt und zur Aufhebung der Richtlinie 1999/5/EG • **RoHS - RICHTLINIE 2011/65/EU** des Europäischen Parlaments und des Rates vom 8. Juni 2011 zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten
PL Poland	Pozycje opisane w punkcie 3) są zgodne z: • **RED - DYREKTYWA 2014/53/EU** Parlamentu Europejskiego i Rady z dnia 16 kwietnia 2014 r. w sprawie harmonizacji ustawodawstw państw członkowskich odnoszących się do udostępniania na rynku urządzeń radiowych i uchylająca dyrektywę 1999/5/WE • **RoHS - DYREKTYWA 2011/65/ EU** Parlamentu Europejskiego i Rady z dnia 8 czerwca 2011 r. w sprawie ograniczenia stosowania niektórych niebezpiecznych substancji w sprzęcie elektrycznym i elektronicznym

ISEO SERRATURE S.p.A.
Stefano Gelmini

Luogo	Prima emissione	Emissione corrente	Responsabile Certificazione di Prodotto
Place	First issuing	Current issuing	Product Certification Manager
Lugar	Fecha de primera Emisión	Emisión Actual	Gerente de certificación de productos
Lieu	Première deliverance	Attribution en cours	Responsable de la certification des produits
Ort	Erste Ausstellung	Aktuelle Ausstellung	Produkt-Zertifizierungsmanager
Miejsce	Pierwsze wydanie	Bieżąca emisja	Kierownik ds. certyfikacji produktów
PISOGNE (BS) ITALY	**18/12/2018**	**23/10/2025**	

