

Dichiarazione di prestazione

DdP/DoP-Nr. 002ITA/CPR/2024-06-07

K Kroma
Koblenz

1. Codice di identificazione unico: Cerniera invisibile Kubi7 - K7120
2. Numero di tipo/Prodotto: Art. Nr. K 7120 CS DXSX, Art. K 7120 NS DXSX,
Art. K 7120 EA DXSX
3. Uso previsto: Per uso su porte tagliafuoco e tagliafumo e porte su vie di fuga
4. Fabbricante: Kroma Koblenz SpA
via Romero, 1
I-47953 Coriano - Italia
5. Rappresentante autorizzato: ./.
6. Sistema di valutazione di costanza di prestazione: 1
7. Valutazione tecnica europea: ETA 11/0477 del 4. Aprile 2018
8. Organismo notificato: ift Rosenheim NB-Nr. 0757, Certificato di attestazione della costanza della prestazione Nr. 0757-CPR-229EAD-9000283-1-4.
9. Prestazioni dichiarate:

Caratteristiche principali			Prestazioni			Specifica tecnica armonizzata	
9.1 Autochiusura			Soddisfatta			ETA-11/0477 dd 04/04/2018	
9.2 Durabilità			Soddisfatta 200.000 cicli			ETA-11/0477 dd 04/04/2018	
9.3 Emissione sostanze pericolose			I prodotti non contengono ne emettono sostanze pericolose se si utilizzano correttamente			ETA-11/0477 dd 04/04/2018	
Categoria di uso	Durabilità	Massa della porta di prova	Resistenza al fuoco	Sicurezza	Resistenza alla corrosione	Protezione	Classe della cerniera
4	7	6	1	1	4	1	13

10. Le prestazioni del prodotto di cui ai punti 1, 2 e 3 sono conformi alla prestazione dichiarata di cui al punto 9.

Si rilascia la presente dichiarazione di prestazione sotto la responsabilità esclusiva del fabbricante di cui al punto 4.

Firmato a nome e per conto del fabbricante:

Coriano, 07.06.2024

Massimo Migliorini - Presidente



Declaration of performance

DdP/DoP-Nr. 002ENG/CPR/2024-06-07

K Krona
Koblenz

1. Unique identification code: Concealed hinge Kubi7 - K7120
-
2. Type / Product. Nr.: Art. Nr. K 7120 CS DXSX, Art. K 7120 NS DXSX,
Art. K 7120 NO DXSX
-
3. Intended use: For use on fire and smoke doors and/or escape doors
-
4. Manufacturer: Krona Koblenz SpA
via Romero, 1
I-47953 Coriano - Italia
-
5. Authorised representative: ./.
-
6. System of assessment and verification
of constancy of performance: 1
-
7. European Technical Assessment: ETA 11/0477 of 4. April 2018
-
8. Notified Body: ift Rosenheim NB-Nr. 0757, Certificate of constancy of performance
Nr. 0757-CPR-229EAD-9000283-1-4.
-
9. Declared performance:

Essential features			Performance			Techn. Specification	
9.1 Selfclosing			Compliant			ETA-11/0477 dd 04/04/2018	
9.2 Durability			Compliant 200.000 cycles			ETA-11/0477 dd 04/04/2018	
9.3 Hazardous substances			The products do not contain or release any hazardous substances in excess of the maximum levels specified in the relevant standards			ETA-11/0477 dd 04/04/2018	
Category of use	Durability	Mass of the test door	Fire resistance	Safety in use	Corrosion resistance	Security	Hinge grade
4	7	6	1	1	4	1	13

10. The performance of the products identified in 1, 2 and 3 is in conformity with the declared performance in 9.

Issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:
Coriano, 07.06.2024

Massimo Migliorini - President

