

CERTIFICATE OF COMPLIANCE

Certificate Number R38166
Report Reference R38166-20150202
Date 2020-October-08

Issued to: ATHMER OHG
Sophienhammer
Arnsberg-Mueschede59757 DE

**This is to certify that
representative samples of**

GASKETING AND EDGE-SEALING MATERIALS FOR
FIRE DOORS, POSITIVE-PRESSURE TESTED
GASKETING MATERIALS FOR FIRE DOORS CERTIFIED
FOR CANADA

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 10C, Positive Pressure Fire Tests of Door Assemblies
UL 10B, Fire Tests of Door Assemblies
CAN/ULC S104, Standard Method For Fire Tests Of Door
Assemblies

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number R38166
Report Reference R38166-20150202
Date 2020-October-08

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Products:

Door threshold seals for fire doors, Models:

Doppeldicht M12/35 2-seitig
Doppeldicht M12/35 1-seitig
NOR810
Schall-Ex L-14/35 EK
Schall-Ex Applic A (anod.silver)
Schall-Ex Applic A (white)
Schall-Ex Applic A (oak raw)
Schall-Ex Duo L-15 WS
Schall-Ex Duo L-15/30 VS
Schall-Ex Duo L-15/31 OS
Schall-Ex Duo L-15/28 OS
Schall-Ex Duo L-15 QFS
Schall-Ex Duo L-15 QF
Schall-Ex L15-FS
Schall-Ex XL-15/30 WS
Schall-Ex XL-15/30 OS
Schall-Ex L-15/30 WS
Schall-Ex L-15/30 WS PIVOT
Schall-Ex L-15/30 OS
Schall-Ex L-8/20 WS
Schall-Ex L-8/30 WS
Schall-Ex Ultra WS
Schall-Ex Ultra OS
Schall-Ex Ultra HN / DDS 20 (Art. Nr. 1-488)
Schall-Ex Ultra HN einseitig / DDS 20 (Art. Nr. 1-489)
Schall-Ex Ultra WS
Schall-Ex Ultra OS
Stadi L-24/20 WS (Art. Nr. 1-609)
Stadi L-24/20 OS (Art. Nr. 1-605)
Stadi L-24/20 TS (Art. Nr. 1-607)
Schall-Ex L15/30 HN (Art. Nr. 1-499)
Schall-Ex L15/30 (Art. Nr. 1-360)
Schall-Ex Ultra WS
Schall-Ex Ultra HN einseitig (Art. Nr. 1-489)
Stadi L-17/17 WS
Stadi L-17/20 WS
Stadi L-20/20 WS
Stadi L-24/20 WS (Art. Nr. 1-938)



Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number R38166
Report Reference R38166-20150202
Date 2020-October-08

Stadi L-24/20 OS (Art. Nr. 1-959)
Stadi L-24/20 TS (Art. Nr. 1-960)
Stadi FA-24/20 WS
Athmer Rainstop L-24/20 WS
Stadi MD-17/17 WS
Stadi LD-17/20 WS
Stadi LD-20/20 WS
Stadi LD-24/20 WS

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

